

0000



DIRECTORATE OF INTELLIGENCE

Imagery Analysis Service Notes

22 December 1967

Declass Review by NIMA / DoD

25X1 **Top Secret** 25X1

Approved For Release 2003/08/21 $^{\rm I}$: CIA-RDP78T04759A00610001 $^{\rm RD2GES}$ $^{\rm IO}$

The IMAGERY ANALYSIS SERVICE NOTES is a periodic publication of the DDI Imagery Analysis Service, the departmental PI organization of CIA.

This publication highlights significant or timely intelligence items derived from photography.

The interpretations in this publication represent preliminary views which are subject to modification in the light of further information and more complete analysis.

WARNING

This document contains information affecting the national security of the United States within the meaning of the espionage laws U. S. Code Title 18, Sections 793, 794 and 798. The law prohibits its transmission or the revelation of its contents in any manner to an unauthorized person, as well as its use in any manner prejudicial to the safety or interest of the United States or for the benefit of any foreign government to the detriment of the United States. It is to be seen only by personnel especially indoctrinated and authorized to receive information in the designated control channels. Its security must be maintained in accordance with regulations pertaining to the

No action is to be taken on any communications intelligence which may be contained herein, regardless of the advantage to be gained, if such action might have the effect of revealing the existence and nature of the source, unless such action is first approved by the appropriate authority.

GROUP 1
EXCLUDED FROM AUTOMA'FIC
DOWNGRADING AND
DECLASSIFICATION

25X1

Approved For Release 2003/08/21 : CIA-RDP78T04759A006100010026-2

25X1

25X1

IMAGERY ANALYSIS SERVICE

CONTENTS

<u>Page</u>	
<u>USSR</u>	
Comparison of the New Guideline Missile with Earlier Models	
	25X
CHINA	J
Two Copper Smelters and a Refinery Newly Identified	
GENERAL INFORMATION	
<pre>IAS Reports Approved for Release, 4 - 22 December</pre>	
Note to Recipients: Imagery Analysis Service Notes was not issued for the weeks ending 8 and 15 December. This	

issue covers the period 4 - 22 December.

25X1

TOP SECRET | Approved For Release 2003/08/21 : GIA-RDP78T04759A006100010026-2

IMAGERY ANALYSIS SERVICE




FIGURE 1. NEW CONFIGURATION GUIDELINE MISSILE, 7 NOVEMBER 1967 MOSCOW PARADE.




FIGURE 2. MOD III GUIDELINE MISSILE, EAST BERLIN PARADE, MAY 1965.




FIGURE 3. MOD I/II GUIDELINE, 7 NOVEMBER 1967, MOSCOW PARADE.

_	_		
$\boldsymbol{\neg}$	E	v	4
_	•	Х	
_	v	, ,	

25X1

25X1

Approved For Release 200 3/08/2 FCRET RDP78T04759A006100010026-2

25X1

IMAGERY ANALYSIS SERVICE

USSR

Comparison of the New Guideline Missile with Earlier Models

During the 7 November 1967 Moscow Parade, the Soviets displayed a new configuration Guideline missile which was previously unknown to Western intelligence. Some obvious differences in appearance were immediately apparent between the new missile and both the MOD I/II Guideline and the more recent MOD III (see Figures I-3). The new missile has an oversized white nose section, has no canards or visible fuzing antennas, has a lengthened fairing on the underside of the missile, and has a redesigned and differently placed yoke supporting the nose section.

Several less obvious but very significant differences have been noted between the size of the new Guideline and the previous models (see the table below for some comparative dimensions). Although all three appear to have the same diameter, the sustainer section of the new missile is longer than it is on the earlier models. In addition, its wings are considerably larger than those of the MOD I/II and MOD III Guidelines.

An unusual feature of the new missile is the fact that its two upper wings, as the missile rests on its transporter, are of one size while its two lower wings are of a different size. The tips of the upper wings are apparently clipped, causing a longer tip chord and a shorter span across the wing. The tip chords of the upper wings each measure 1.02 feet long; 25X1 those of the lower wings are each 0.70 feet long.

	i i
	i i
	i i

25X1

25X1

Next 3 Page(s) In Document Exempt

	Approved For			4759A0061000100	
		IMAGERY ANALYSIS	SERVICE		25
		_			
		CHINA	<u>.</u>		
Two Copp	per Smelters and		-		
Two 39 nauti the numb in China 102-14E, (Figure	per Smelters and copper smelters ical miles (nm) reper of smelters are to date. One seeds approximately 3 5a). The second above mining area	a Refinery New and a copper northwest of Wu and to five the smelter and the 3 nm east of an d smelter is lo	refinery have be number of refinery are number of are number of refinery are	This brings to s ineries known to located at 38–30 shaft mining are	seven o exist ON ea
Two 39 nauti the numb in China 102-14E, (Figure to the a The stages of sequent complete sinterin	copper smelters ical miles (nm) reper of smelters as a to date. One set of approximately 3 sales collocated smelters coverage construction of construction of construction of coverage should not in open of their copper smelting, and other copper smelting, and other copper smelters.	a Refinery New and a copper northwest of Wu and to five the smelter and the northwest of an and smelter is lo a (Figure 5b). Iter and refine on Pration. This d refining facil	refinery have be-wei, China. e number of refinery are proper pit and socated at 38-300 photography. evealed both far plant now consideries identified	This brings to sineries known to coated at 38-30 shaft mining are beserved in the An analysis of acilities appared in China. The din China.	seven of exist ON ea cent early sub- ently ration, n size his plant
Two 39 nauti the numb in China 102-14E, (Figure to the a The stages of sequent complete sinterin to the of will recoperation	copper smelters ical miles (nm) reper of smelters as a to date. One set approximately 3 5a). The second above mining area area of construction of coverage as but not in open of smelting, and other copper smelting area on the copper ore construction.	a Refinery New and a copper northwest of Wu and to five the smelter and the smelter is lo a (Figure 5b). Iter and refine on refining faci Iters and refin from the nearb	refinery have to wei, China. It is number of refinery are nopen pit and socated at 38-300 photography. The revealed both far plant now constities which are not open pit mine by open pit mine	This brings to sineries known to coated at 38-30 shaft mining are beserved in the An analysis of acilities appared in China. The which went in	seven o exist ON ea cent early sub- ently ration, n size his plant
Two 39 nauti the numb in China 102-14E, (Figure to the a The stages of sequent complete sinterin to the of will recoperation The is concepted	copper smelters ical miles (nm) reper of smelters as a to date. One season approximately 3 5a). The second above mining area are collocated smelter construction of coverage e, but not in open smelting, and other copper smelter copper ore construction of smelter copper ore construction of smelter copper smelter copper ore construction of smelter nearest photography are smelter nearest photography are smelter copper ore copper or copper smelter nearest photography are smelter copper or copper smelter copper smelter nearest photography are smelter copper smelter copper smelter nearest photography are smelter nearest photography are smelter copper smelter copper smelter copper smelter nearest photography are smelter nearest photography are smelter copper smelter co	a Refinery New and a copper northwest of Wu and to five the melter and the melter is lo a (Figure 5b). Iter and refine on reration. This d refining faci Iters and refin from the nearb t to the mining and identified a the smelter; the at this facil	refinery have be wei, China. The number of refinery are properly and societed at 38-300 per were first of photography. The evealed both far plant now constities which are properly pit mines identifies are a was first as ore concentration ity. This sme	This brings to sineries known to coated at 38-30 shaft mining are leading to the leading to the leading the leading the leadin China. The leading the	seven o exist ON ea cent early sub- ently ration, n size his plant to tion on s. Ore step in than
Two 39 nauti the numb in China 102-14E, (Figure to the a The stages of sequent complete sinterin to the of will recoperation The is conceptoducin other knoniy ore	copper smelters ical miles (nm) reper of smelters as a to date. One set of approximately 3 to above mining area above rage as a smelter not in open or a smelter nearest photography area and a smelter nearest approximately within the copper smelter nearest approximately within the copper area and approximately within the copper smelter nearest approximately appro	a Refinery New and a copper northwest of Wu and to five the smelter and the smelter is lo a (Figure 5b). Iter and refine on refining faci Iters and refin from the nearb The to the mining and identified a the smelter; the at this faci! Iters, possibly shaft mines.	refinery have because it was	This brings to sineries known to coated at 38-30 shaft mining are beserved in the An analysis of acilities appared in China. The which went in the seen in operation facilities at its the first site of constructed to constructed to constructed to seen the constructed to constructed to see the constructed to construct to constructed to construct to c	seven o exist ON ea cent early sub- ently ration, n size his plant to tion on s. Ore step in than o process

IMAGERY ANALYSIS SERVICE




FIGURE 5a. SMELTER AND REFINERY, 38 - 30N 102 - 14E





FIGURE 5b. SMELTER, 38 -30N 102 -12E

NEWLY IDENTIFIED (WU - WEI, CH	 NG AND REFINING F	ACILITIES	NEAR	25X1
_				25X1
Approved For Release 2003	DP78T04759A006	1000100	26-2	25X1



Approved For Release 2003/08/21 : CIA-RDP78T04759A006100010026-2

Approved For Release 2003/08/21 : CIA-RDP78T04759A006100010026-2 **Top Secret**

Top Secret